

Mahmood H, Siddique MRH, Costello L, Birigazzi L, Abdullah SMR, Henry M, Siddiqui BN, Aziz T, Ali S, Al Mamun A, Forhad MIK, Akhter M, Iqbal Z, Mondol FK (2019).

**Allometric models for estimating biomass, carbon and nutrient stock in the Sal zone of Bangladesh**

iForest – Biogeosciences and Forestry – doi: [10.3832/ifor2758-011](https://doi.org/10.3832/ifor2758-011)

**Supplementary Material**

**Tab. S1** - Observed biomass data of sampled trees of the Sal zone of Bangladesh. (DBH): Diameter at breast height.

Tree no	Scientific Name	DBH (cm)	Total Height (m)	Wood Density (g/cc)	Total above-ground Biomass (Kg)	Stem Biomass without Bark (Kg)	Bark Biomass (Kg)	Branch Biomass (Kg)	Leaf Biomass (Kg)
1	<i>Syzygium cumini</i>	19	10.4	0.673	113.761	56.784	11.278	35.140	10.558
2	<i>Shorea robusta</i>	14.40	12.8	0.820	62.313	43.366	8.186	8.513	2.247
3	<i>Shorea robusta</i>	12.20	12.6	0.820	48.938	34.420	6.058	7.045	1.415
4	<i>Shorea robusta</i>	17.70	14.7	0.820	116.514	71.226	14.032	27.690	3.566
5	<i>Syzygium cumini</i>	15.2	9.07	0.673	67.546	36.012	7.415	20.184	3.936
6	<i>Acacia auriculiformis</i>	26.6	14.5	0.680	228.601	131.601	23.084	65.233	8.683
7	<i>Syzygium cumini</i>	16.5	8.86	0.673	68.643	36.352	5.976	20.192	6.123
8	<i>Syzygium cumini</i>	29.1	10.14	0.673	281.537	156.731	31.270	84.539	8.996
9	<i>Acacia auriculiformis</i>	18	12.94	0.680	111.473	63.817	11.201	30.941	5.514
10	<i>Acacia auriculiformis</i>	20.6	17	0.680	161.242	80.854	19.388	53.860	7.141
11	<i>Acacia auriculiformis</i>	18.1	17.28	0.680	149.422	70.428	13.704	60.008	5.282
12	<i>Artocarpus heterophyllus</i>	15.8	6.48	0.492	56.110	22.647	3.688	28.726	1.049
13	<i>Syzygium cumini</i>	23.6	10.6	0.673	163.641	83.942	15.308	52.646	11.745
14	<i>Shorea robusta</i>	22.00	14.5	0.820	212.336	136.685	23.687	40.613	11.350
15	<i>Shorea robusta</i>	19.30	13.6	0.820	107.474	75.827	13.345	12.080	6.221
16	<i>Shorea robusta</i>	11.70	10.4	0.820	38.944	27.434	4.828	4.080	2.601
17	<i>Shorea robusta</i>	21.80	13.13	0.820	199.470	126.868	26.420	37.767	8.415
18	<i>Artocarpus heterophyllus</i>	15.6	6.24	0.492	57.736	16.741	2.258	32.292	6.445
19	<i>Shorea robusta</i>	13.90	11.4	0.820	55.929	40.555	7.137	6.902	1.336
20	<i>Artocarpus heterophyllus</i>	16.7	9.5	0.492	73.344	43.607	6.116	19.624	3.997
21	<i>Artocarpus heterophyllus</i>	27.5	10.47	0.492	236.303	118.686	20.385	80.396	16.836
22	<i>Artocarpus heterophyllus</i>	12.8	8.5	0.492	46.139	24.601	2.967	15.473	3.097
23	<i>Averrhoa carambola</i>	6.1	5.96	0.577	10.336	4.847	0.475	4.399	0.615
24	<i>Phyllanthus emblica</i>	13.7	8.9	0.636	53.707	30.861	2.496	19.931	0.419
25	<i>Acacia auriculiformis</i>	8	10.38	0.680	20.465	11.106	1.499	6.022	1.838
26	<i>Acacia auriculiformis</i>	13.8	14.4	0.680	79.511	42.486	5.733	25.799	5.493
27	<i>Acacia auriculiformis</i>	16.1	14.4	0.680	111.175	51.653	8.657	43.154	7.711
28	<i>Phyllanthus emblica</i>	14.6	9.04	0.636	62.767	25.654	3.414	33.350	0.349
29	<i>Acacia auriculiformis</i>	13.4	14.5	0.680	75.912	42.662	5.757	20.901	6.592
30	<i>Phyllanthus emblica</i>	16.2	9.98	0.636	75.719	35.545	4.508	35.032	0.635
31	<i>Mangifera indica</i>	10.9	6.25	0.553	33.904	11.166	1.234	17.010	4.495
32	<i>Phyllanthus emblica</i>	16.1	9.49	0.636	63.365	26.233	3.697	32.807	0.628
33	<i>Phyllanthus emblica</i>	16.7	8.7	0.636	92.282	53.526	5.155	32.608	0.995
34	<i>Mangifera indica</i>	8.3	4.94	0.553	19.025	8.511	0.941	6.569	3.004
35	<i>Mangifera indica</i>	18.3	8	0.553	94.984	34.412	5.483	48.044	7.045
36	<i>Mangifera indica</i>	19.1	8	0.553	112.943	40.544	6.750	57.610	8.039
37	<i>Shorea robusta</i>	34.00	17.9	0.820	508.412	295.060	60.284	139.364	13.704
38	<i>Shorea robusta</i>	29.10	14.9	0.820	399.370	227.466	49.591	110.533	11.781
39	<i>Zanthoxylum rhetsa</i>	13	8.5	0.700	47.858	16.460	6.484	24.914	
40	<i>Elaeocarpus serratus</i>	13.2	8.5	0.620	38.156	17.532	3.265	16.812	0.547
41	<i>Elaeocarpus serratus</i>	15.9	8.3	0.620	65.142	29.556	5.304	30.106	0.175
42	<i>Shorea robusta</i>	37.70	16	0.820	668.108	392.479	83.987	172.746	18.897
43	<i>Elaeocarpus serratus</i>	7.4	7.1	0.620	11.123	5.232	0.680	5.160	0.051
44	<i>Shorea robusta</i>	17.50	11.9	0.820	80.065	54.187	9.537	13.757	2.585

Mahmood H, Siddique MRH, Costello L, Birigazzi L, Abdullah SMR, Henry M, Siddiqui BN, Aziz T, Ali S, Al Mamun A, Forhad MIK, Akhter M, Iqbal Z, Mondol FK (2019).

**Allometric models for estimating biomass, carbon and nutrient stock in the Sal zone of Bangladesh**

iForest – Biogeosciences and Forestry – doi: [10.3832/ifor2758-011](https://doi.org/10.3832/ifor2758-011)

Tree no	Scientific Name	DBH (cm)	Total Height (m)	Wood Density (g/cc)	Total above-ground Biomass (Kg)	Stem Biomass without Bark (Kg)	Bark Biomass (Kg)	Branch Biomass (Kg)	Leaf Biomass (Kg)
45	<i>Shorea robusta</i>	20.80	13	0.820	160.072	109.853	18.604	28.393	3.222
46	<i>Shorea robusta</i>	21.10	14.9	0.820	203.994	129.393	24.376	40.636	9.589
47	<i>Shorea robusta</i>	15.50	12.2	0.820	69.288	53.079	9.342	4.239	2.628
48	<i>Shorea robusta</i>	9.30	8.2	0.820	17.995	12.354	2.174	3.101	0.366
49	<i>Shorea robusta</i>	20.10	14.1	0.820	161.431	105.085	18.690	27.938	9.719
50	<i>Shorea robusta</i>	19.30	14	0.820	127.774	84.092	15.188	22.657	5.837
51	<i>Shorea robusta</i>	21.80	15.5	0.820	159.206	100.691	19.331	32.139	7.045
52	<i>Shorea robusta</i>	22.20	13.7	0.820	150.220	105.178	17.813	21.796	5.434
53	<i>Shorea robusta</i>	18.50	12.9	0.820	100.536	65.774	11.950	16.658	6.155
54	<i>Shorea robusta</i>	11.30	11.2	0.820	37.082	26.497	4.663	5.017	0.905
55	<i>Shorea robusta</i>	12.90	11.2	0.820	51.114	36.806	6.478	7.270	0.560
56	<i>Shorea robusta</i>	17.90	12.7	0.820	111.766	75.401	13.270	15.988	7.106
57	<i>Shorea robusta</i>	14.70	7.9	0.820	44.467	29.138	5.128	4.997	5.203
58	<i>Shorea robusta</i>	20.00	14.3	0.820	156.502	107.329	19.270	23.577	6.327
59	<i>Ziziphus mauritiana</i>	14.2	7.74	0.618	49.838	28.812	2.837	18.189	
60	<i>Terminalia bellirica</i>	20.6	10.55	0.780	134.267	82.199	10.257	41.812	
61	<i>Terminalia bellirica</i>	30.3	11.26	0.780	377.479	250.114	28.109	92.349	6.907
62	<i>Ziziphus mauritiana</i>	14.9	7.18	0.618	47.184	17.054	1.953	28.177	
63	<i>Zanthoxylum rhetsa</i>	11.7	9.3	0.700	36.808	20.274	3.596	12.938	
64	<i>Zanthoxylum rhetsa</i>	14.2	8.54	0.700	66.239	24.291	7.463	34.485	
65	<i>Zanthoxylum rhetsa</i>	11.5	7.5	0.700	26.361	12.239	2.171	11.951	
66	<i>Grewia microcosm</i>	11.4	7.7	0.557	34.850	15.805	2.684	16.362	
67	<i>Psidium guajava</i>	9.7	5.9	0.652	21.653	8.317	0.769	12.568	
68	<i>Psidium guajava</i>	8.1	4.94	0.652	16.577	5.680	0.588	10.310	
69	<i>Psidium guajava</i>	8.4	4.5	0.652	18.393	5.813	0.538	12.043	
70	<i>Grewia microcosm</i>	8.1	7.88	0.557	18.829	8.169	1.147	9.513	
71	<i>Grewia microcosm</i>	9.3	8.64	0.557	25.792	13.585	1.908	10.299	
72	<i>Terminalia arjuna</i>	13.3	14.2	0.822	65.769	44.674	5.782	15.313	
73	<i>Terminalia arjuna</i>	12.1	7.43	0.822	49.606	33.103	3.560	12.943	
74	<i>Averrhoa carambola</i>	12	7.33	0.577	38.130	18.829	1.846	17.455	
75	<i>Litchi chinensis</i>	10.4	6.73	0.854	36.430	17.135	1.679	17.616	
76	<i>Averrhoa carambola</i>	10.8	6.7	0.577	29.521	15.287	1.498	12.735	
77	<i>Aegle marmelos</i>	19.9	7.8	0.826	115.204	49.425	5.881	59.439	0.459
78	<i>Shorea robusta</i>	12.70	10.1	0.820	41.639	30.416	5.353	3.395	2.475
79	<i>Shorea robusta</i>	15.60	12.2	0.820	70.923	48.564	8.547	10.069	3.744
80	<i>Shorea robusta</i>	8.70	6	0.820	13.582	8.435	1.484	3.490	0.172
81	<i>Shorea robusta</i>	10.00	8	0.820	23.372	16.784	2.954	2.686	0.948
82	<i>Shorea robusta</i>	14.20	11.1	0.820	64.286	40.299	7.092	13.722	3.172
83	<i>Shorea robusta</i>	11.50	9.3	0.820	31.624	22.322	3.929	2.740	2.633
84	<i>Shorea robusta</i>	13.20	11.4	0.820	60.429	41.918	7.377	9.293	1.840
85	<i>Shorea robusta</i>	13.30	10.2	0.820	48.309	32.035	5.638	7.717	2.919
86	<i>Shorea robusta</i>	10.70	9.8	0.820	31.653	22.493	3.959	3.235	1.967
87	<i>Shorea robusta</i>	15.70	11.2	0.820	80.140	52.057	9.493	16.053	2.538
88	<i>Shorea robusta</i>	11.10	6.5	0.820	23.864	15.336	2.699	4.666	1.163
89	<i>Shorea robusta</i>	15.50	12.5	0.820	78.438	50.438	8.877	15.316	3.807
90	<i>Shorea robusta</i>	12.30	9.6	0.820	33.072	24.026	4.228	3.524	1.293
91	<i>Shorea robusta</i>	14.20	13.2	0.820	56.989	40.981	7.212	5.687	3.109
92	<i>Shorea robusta</i>	20.50	14.6	0.820	132.268	86.480	15.985	21.127	8.676

Mahmood H, Siddique MRH, Costello L, Birigazzi L, Abdullah SMR, Henry M, Siddiqui BN, Aziz T, Ali S, Al Mamun A, Forhad MIK, Akhter M, Iqbal Z, Mondol FK (2019).

**Allometric models for estimating biomass, carbon and nutrient stock in the Sal zone of Bangladesh**

iForest – Biogeosciences and Forestry – doi: [10.3832/ifer2758-011](https://doi.org/10.3832/ifer2758-011)

Tree no	Scientific Name	DBH (cm)	Total Height (m)	Wood Density (g/cc)	Total above-ground Biomass (Kg)	Stem Biomass without Bark (Kg)	Bark Biomass (Kg)	Branch Biomass (Kg)	Leaf Biomass (Kg)
93	<i>Aegle marmelos</i>	19.6	8.9	0.826	110.645	57.900	6.890	45.396	0.459
94	<i>Tectona grandis</i>	15.40	18.3	0.601	90.902	68.854	5.587	16.461	
95	<i>Tectona grandis</i>	10.60	11.3	0.601	34.015	26.024	2.112	5.880	
96	<i>Citrus grandis</i>	7.7	7	0.740	14.115	6.658	0.657	5.394	1.406
97	<i>Albizia procera</i>	25.8	10.65	0.573	227.509	141.058	22.585	63.866	
98	<i>Albizia procera</i>	25.9	11.86	0.573	239.250	144.654	23.212	71.384	
99	<i>Acacia auriculiformis</i>	13.5	20.5	0.680	80.502	52.182	7.041	17.570	3.709
100	<i>Acacia auriculiformis</i>	11	15.2	0.680	35.660	24.725	3.336	6.427	1.172
101	<i>Acacia auriculiformis</i>	16.1	19.5	0.680	112.870	77.039	10.892	21.785	3.155
102	<i>Acacia auriculiformis</i>	15.2	18	0.680	98.021	68.885	9.295	17.633	2.208
103	<i>Acacia auriculiformis</i>	8.9	12	0.680	26.366	19.480	2.629	3.356	0.901
104	<i>Acacia auriculiformis</i>	14.1	19.4	0.680	77.428	55.796	7.529	12.887	1.217
105	<i>Acacia auriculiformis</i>	6.5	9.4	0.680	10.254	7.933	1.070	0.800	0.451
106	<i>Acacia auriculiformis</i>	20.6	21.4	0.680	191.947	121.596	19.259	47.892	3.200
107	<i>Acacia auriculiformis</i>	27.6	26.6	0.680	382.915	235.215	38.048	101.382	8.270
108	<i>Acacia auriculiformis</i>	11.9	15.1	0.680	36.090	26.444	3.568	5.020	1.059
109	<i>Acacia auriculiformis</i>	24.3	23	0.680	268.262	191.011	27.731	41.566	7.954
110	<i>Acacia auriculiformis</i>	10.4	13.6	0.680	36.656	25.386	3.425	6.109	1.735
111	<i>Acacia auriculiformis</i>	20.2	28.3	0.680	179.026	122.125	17.541	35.754	3.605
112	<i>Acacia auriculiformis</i>	14.3	24.4	0.680	97.752	72.896	9.836	13.172	1.848
113	<i>Acacia auriculiformis</i>	17.5	21.7	0.680	139.009	112.297	15.153	8.157	3.402
114	<i>Acacia auriculiformis</i>	19.9	23.5	0.680	188.323	137.022	18.489	28.644	4.169
115	<i>Acacia auriculiformis</i>	22.1	22.6	0.680	217.986	162.584	21.938	29.543	3.921
116	<i>Acacia auriculiformis</i>	16.1	15.5	0.680	116.720	73.689	9.943	29.437	3.650
117	<i>Acacia auriculiformis</i>	23.6	23.7	0.680	286.862	157.692	25.128	89.711	14.331
118	<i>Acacia auriculiformis</i>	19.3	23.8	0.680	152.770	105.598	15.155	28.051	3.966
119	<i>Acacia auriculiformis</i>	9.6	15.6	0.680	32.428	22.874	3.086	5.070	1.397
120	<i>Acacia auriculiformis</i>	8.7	15.6	0.680	23.972	16.263	2.194	4.434	1.082
121	<i>Acacia auriculiformis</i>	9.2	11	0.680	22.219	14.985	2.022	4.604	0.608
122	<i>Acacia auriculiformis</i>	8.4	10.6	0.680	19.005	13.618	1.838	2.828	0.721
123	<i>Acacia auriculiformis</i>	25.5	24.7	0.680	338.563	215.824	32.251	83.796	6.692
124	<i>Acacia auriculiformis</i>	21.5	19.3	0.680	214.025	128.295	21.526	60.374	3.831
125	<i>Acacia auriculiformis</i>	24.1	19	0.680	239.792	159.675	25.200	48.834	6.084
126	<i>Acacia auriculiformis</i>	20.3	18.8	0.680	209.529	144.778	19.536	35.864	9.351
127	<i>Acacia auriculiformis</i>	27.3	22.7	0.680	372.818	147.599	34.914	178.475	11.830
128	<i>Acacia auriculiformis</i>	8.4	10.5	0.680	21.406	13.618	1.838	5.206	0.744
129	<i>Acacia auriculiformis</i>	19	19	0.680	161.325	100.662	15.436	41.487	3.740
130	<i>Acacia auriculiformis</i>	10.3	12.5	0.680	38.113	24.857	3.354	8.641	1.262
131	<i>Acacia mangium</i>	11.4	10.9	0.507	29.510	16.573	2.799	8.335	1.804
132	<i>Acacia mangium</i>	13.7	17.2	0.507	68.165	51.823	8.751	6.019	1.571
133	<i>Acacia mangium</i>	14.7	17.6	0.507	66.312	50.449	8.519	5.831	1.513
134	<i>Acacia mangium</i>	14.5	18.8	0.507	67.182	46.714	7.888	9.438	3.142
135	<i>Acacia mangium</i>	13.9	15.9	0.507	54.004	38.857	6.561	5.036	3.550
136	<i>Acacia mangium</i>	18.7	20.3	0.507	124.721	93.042	15.711	13.713	2.255
137	<i>Acacia mangium</i>	24.2	21.3	0.507	215.269	159.935	27.440	23.965	3.928
138	<i>Acacia mangium</i>	17.2	25	0.507	111.330	81.148	13.703	13.133	3.346
139	<i>Acacia mangium</i>	18.6	19.4	0.507	118.991	85.056	14.362	15.790	3.783
140	<i>Acacia mangium</i>	17.3	19	0.507	118.235	85.442	15.481	14.490	2.822

Mahmood H, Siddique MRH, Costello L, Birigazzi L, Abdullah SMR, Henry M, Siddiqui BN, Aziz T, Ali S, Al Mamun A, Forhad MIK, Akhter M, Iqbal Z, Mondol FK (2019).

**Allometric models for estimating biomass, carbon and nutrient stock in the Sal zone of Bangladesh**

iForest – Biogeosciences and Forestry – doi: [10.3832/ifor2758-011](https://doi.org/10.3832/ifor2758-011)

Tree no	Scientific Name	DBH (cm)	Total Height (m)	Wood Density (g/cc)	Total above-ground Biomass (Kg)	Stem Biomass without Bark (Kg)	Bark Biomass (Kg)	Branch Biomass (Kg)	Leaf Biomass (Kg)
141	<i>Acacia mangium</i>	22.7	22.1	0.507	199.694	150.704	26.032	19.142	3.815
142	<i>Acacia mangium</i>	20.8	19.5	0.507	170.134	122.581	22.310	20.762	4.481
143	<i>Acacia mangium</i>	19.4	23.7	0.507	129.646	99.353	16.777	10.548	2.968
144	<i>Acacia mangium</i>	27.3	20.8	0.507	309.404	215.323	40.466	46.399	7.216
145	<i>Acacia mangium</i>	25.3	21.3	0.507	226.869	172.644	30.321	19.859	4.044
146	<i>Acacia mangium</i>	26.4	24.5	0.507	287.989	182.477	35.362	61.770	8.380
147	<i>Acacia mangium</i>	13.4	17.2	0.507	59.757	43.794	7.395	6.909	1.659
148	<i>Acacia mangium</i>	25.6	20	0.507	262.248	170.068	32.789	54.124	5.266
149	<i>Acacia mangium</i>	23.3	21.3	0.507	214.366	141.173	27.972	41.294	3.928
150	<i>Acacia mangium</i>	12.9	13.6	0.507	50.314	35.680	6.025	7.010	1.600
151	<i>Acacia mangium</i>	17.2	19.5	0.507	104.176	81.320	13.732	6.796	2.328
152	<i>Acacia mangium</i>	14.5	20.5	0.507	73.801	56.718	9.577	5.498	2.008
153	<i>Acacia mangium</i>	8.8	14.6	0.507	22.066	16.187	2.733	1.982	1.164
154	<i>Acacia mangium</i>	7.9	10.1	0.507	16.143	10.949	1.849	2.619	0.727
155	<i>Acacia mangium</i>	9.4	10.5	0.507	23.339	14.341	2.422	5.442	1.135
156	<i>Acacia mangium</i>	9	10.2	0.507	21.363	14.641	2.472	3.493	0.757
157	<i>Acacia mangium</i>	11	12.4	0.507	30.710	20.094	3.393	5.943	1.280
158	<i>Acacia mangium</i>	8.5	11.5	0.507	16.480	11.507	1.943	2.187	0.844
159	<i>Acacia mangium</i>	9.4	17.4	0.507	23.634	16.831	2.842	3.204	0.757
160	<i>Acacia mangium</i>	13.2	18.3	0.507	47.694	33.747	5.699	7.026	1.222
161	<i>Acacia mangium</i>	12.4	16.2	0.507	45.251	32.588	5.503	6.113	1.047

Mahmood H, Siddique MRH, Costello L, Birigazzi L, Abdullah SMR, Henry M, Siddiqui BN, Aziz T, Ali S, Al Mamun A, Forhad MIK, Akhter M, Iqbal Z, Mondol FK (2019).

**Allometric models for estimating biomass, carbon and nutrient stock in the Sal zone of Bangladesh**

iForest – Biogeosciences and Forestry – doi: [10.3832/ifer2758-011](https://doi.org/10.3832/ifer2758-011)

**Tab. S2** - Nutrients (N, P and K) concentration in different parts of sample tree species of the Sal zone of Bangladesh.

Species	Nitrogen (%)					Phosphorus (%)					Potassium (%)				
	Leaf	Smaller branch	Bigger branch	Bark	Stem	Leaf	Smaller branch	Bigger branch	Bark	Stem	Leaf	Smaller branch	Bigger branch	Bark	Stem
<i>Acacia auriculiformis</i>	1.83±0.03	0.88±0.06	0.26±0.01	1.38±0.03	0.21±0.01	0.09±0.002	0.04±0.00	0.002±0.00	0.02±0.00	0.01±0.00	1.78±0.03	0.90±0.01	0.75±0.01	1.73±0.01	0.74±0.03
<i>Aegle marmelos</i>	3.29±0.15	0.41±0.01		1.37±0.05	0.66±0.11	0.16±0.00	0.01±0.00		0.05±0.00	0.02±0.00	2.28±0.14	0.14±0.01		0.77±0.01	0.17±0.01
<i>Albizia procera</i>	2.16±0.02	1.09±0.10	0.53±0.01	1.02±0.08	0.44±0.01	0.05±0.01	0.05±0.00	0.01±0.00	0.19±0.00	0.02±0.00	0.82±0.01	0.53±0.01	0.21±0.01	1.64±0.03	0.17±0.01
<i>Artocarpus heterophyllus</i>	2.60±0.39	0.40±0.07	0.33±0.05	1.66±0.05	0.29±0.00	0.08±0.00	0.06±0.01	0.05±0.00	0.15±0.00	0.04±0.00	0.72±0.01	0.88±0.04	0.27±0.01	1.37±0.01	0.23±0.01
<i>Averrhoa carambola</i>	3.22±0.24	0.66±0.06		1.50±0.05	0.56±0.10	0.05±0.00	0.03±0.00		0.05±0.01	0.02±0.00	3.05±0.06	0.67±0.01		0.53±0.01	0.30±0.02
<i>Citrus grandis</i>	2.88±0.23	0.78±0.01		1.28±0.08	0.56±0.03	0.21±0.01	0.15±0.00		0.05±0.00	0.11±0.01	2.62±0.09	0.45±0.01		0.69±0.01	0.20±0.00
<i>Elaeocarpus serratus</i>	2.98±0.09	0.77±0.01	0.53±0.05	0.75±0.14	0.50±0.04	0.12±0.00	0.06±0.01	0.02±0.00	0.04±0.00	0.01±0.00	0.46±0.01	0.41±0.03	0.26±0.01	0.58±0.02	0.32±0.04
<i>Grewia microcosm</i>	4.06±0.57	0.71±0.01	0.35±0.07	1.49±0.07	0.33±0.07	0.53±0.00	0.06±0.00	0.02±0.00	0.04±0.00	0.02±0.00	3.10±0.11	0.72±0.03	0.22±0.02	0.75±0.01	0.31±0.01
<i>Litchi chinensis</i>	1.42±0.11	0.81±0.01	0.71±0.01	0.92±0.01	0.59±0.08	0.11±0.01	0.03±0.00	0.01±0.00	0.19±0.00	0.01±0.00	0.88±0.01	0.37±0.01	0.30±0.01	1.64±0.03	0.34±0.01
<i>Mangifera indica</i>	2.42±0.04	1.19±0.16	0.83±0.05	1.63±0.01	0.51±0.02	0.10±0.01	0.04±0.00	0.06±0.01	0.05±0.00	0.08±0.00	0.84±0.03	0.34±0.01	0.66±0.00	0.86±0.03	0.38±0.01
<i>Phyllanthus emblica</i>	2.94±0.27	0.78±0.04	0.50±0.10	1.83±0.15	0.42±0.01	0.30±0.01	0.13±0.01	0.03±0.00	0.04±0.00	0.02±0.00	2.13±0.06	0.73±0.04	0.26±0.01	1.30±0.03	0.31±0.01
<i>Psidium guajava</i>	3.41±0.04	0.41±0.01		0.51±0.03	0.38±0.01	0.05±0.00	0.06±0.00		0.06±0.00	0.08±0.00	2.36±0.11	0.64±0.01		0.86±0.01	0.48±0.01
<i>Shorea robusta</i>	2.35±0.30	0.67±0.02	0.40±0.03	0.45±0.13	0.59±0.07	0.04±0.00	0.01±0.00	0.01±0.00	0.01±0.00	0.01±0.00	0.28±0.01	0.29±0.01	0.23±0.02	0.19±0.01	0.16±0.01
<i>Spondias pinnata</i>		0.47±0.04	0.42±0.05	1.06±0.02	0.36±0.03		0.18±0.01	0.01±0.00	0.13±0.01	0.05±0.00		1.90±0.03	0.56±0.01	1.92±0.03	0.77±0.01
<i>Syzygium cumini</i>	1.97±0.00	0.77±0.07	0.60±0.03	0.36±0.04	0.27±0.02	0.02±0.00	0.04±0.00	0.02±0.00	0.03±0.00	0.04±0.00	0.67±0.01	0.60±0.01	0.21±0.01	0.58±0.01	0.28±0.01
<i>Tectona grandis</i>	3.44±0.29	0.22±0.01		0.29±0.03	0.21±0.06	0.54±0.02	0.03±0.01		0.06±0.00	0.02±0.00	2.79±0.03	0.50±0.12		1.10±0.03	0.24±0.01
<i>Terminalia arjuna</i>	1.76±0.10	0.71±0.00	0.46±0.00	1.60±0.06	0.46±0.01	0.02±0.01	0.03±0.00	0.01±0.00	0.03±0.00	0.01±0.00	1.17±0.04	0.53±0.02	0.29±0.01	1.15±0.11	0.22±0.01
<i>Terminalia bellirica</i>	3.92±0.21	0.84±0.06	0.82±0.05	1.06±0.02	0.62±0.03	0.35±0.01	0.10±0.00	0.03±0.00	0.07±0.00	0.02±0.00	2.70±0.11	0.50±0.04	0.24±0.01	0.77±0.01	0.34±0.01
<i>Zanthoxylum rhetsa</i>		0.88±0.05	0.48±0.00	1.52±0.14	0.38±0.03		0.08±0.00	0.02±0.00	0.03±0.00	0.02±0.00		0.80±0.02	0.20±0.06	0.52±0.02	0.17±0.01
<i>Ziziphus mauritiana</i>	2.34±0.08	1.32±0.01	0.57±0.01	1.82±0.16	0.39±0.10	0.15±0.01	0.04±0.00	0.03±0.00	0.07±0.00	0.05±0.00	0.48±0.01	0.35±0.01	0.55±0.02	0.87±0.02	0.43±0.01